


RACING 2007

www.pirellityre.com

PIRELLI

POWER IS NOTHING WITHOUT CONTROL



Troy Bayliss
Ducati Xerox Team
2006 SUPERBIKE WORLD CHAMPION

REVEALING



Tyres Range



RACING - NHS

DIABLO SUPERBIKE

Page 01



RACING - NHS

DIABLO WET

Page 02



RACING - NHS

DIABLO RAIN

Page 03



NEW

RACING - SUPERSPORT

DIABLO SUPERCORSA

Page 04



RACING - SUPERSPORT

DRAGON SUPERCORSA PRO SC

Page 05



RACING - STREET

DRAGON SUPERCORSA PRO

Page 06



NEW

RACING - STREET

DIABLO CORSA III

Page 07



RACING - STREET

DIABLO CORSA

Page 08

Your lap-time is their goal

- Improved SC compound for ultimate performance on track
- Profile designed for an outstanding handling
- Stable performance during each lap
- Superb traction and stability at high speed



NEW Sizes

Front	Size	Pirelli-Tread Pattern	Footnotes	IP Codes
16.5"	120/75 R 420 NHS TL	Diablo Superbike Front SCØ		1634000
	120/75 R 420 NHS TL	Diablo Superbike Front SC1		1634200
	120/75 R 420 NHS TL	Diablo Superbike Front SC2		1634100
	120/75 R 420 NHS TL	Diablo Superbike Front SC3		1633600
17"	120/70 R 17 NHS TL	Diablo Superbike Front SCØ	—	1735700
	120/70 R 17 NHS TL	Diablo Superbike Front SC1	—	1735600
	120/70 R 17 NHS TL	Diablo Superbike Front SC2	—	1735500
	120/70 R 17 NHS TL	Diablo Superbike Front SC3	—	1745000

Rear	Size	Pirelli-Tread Pattern	Footnotes	IP Codes
16.5"	190/65 R 420 NHS TL	Diablo Superbike SCØ		1632900
	190/65 R 420 NHS TL	Diablo Superbike SC1		1633100
	190/65 R 420 NHS TL	Diablo Superbike SC2		1633000
	190/65 R 420 NHS TL	Diablo Superbike SC3		1632800
17"	160/60 R 17 NHS TL	Diablo Superbike SC1		1631900
	160/60 R 17 NHS TL	Diablo Superbike SC2		1631800
	180/55 R 17 NHS TL	Diablo Superbike SCØ		1632000
	180/55 R 17 NHS TL	Diablo Superbike SC1		1632300
	180/55 R 17 NHS TL	Diablo Superbike SC2		1632200
	180/55 R 17 NHS TL	Diablo Superbike SC3		1632100
	190/55 R 17 NHS TL	Diablo Superbike SCØ	—	1735800
	190/55 R 17 NHS TL	Diablo Superbike SC1	—	1736100
	190/55 R 17 NHS TL	Diablo Superbike SC2	—	1736000
	190/55 R 17 NHS TL	Diablo Superbike SC3	—	1735900

NEW New Product 2007

The intermediate tyre

- World Superbike Championship's tyre
- Performance and control in Intermediate weather conditions
- Regular wear without loss in performance
- Superb traction and stability at high speed

120/75 R 420

190/65 R 420

120/70 R 17

180/55 R 17



Front	Size	Pirelli-Tread Pattern	Footnotes	IP Codes
16,5"	120/75 R 420 M/C NHS TL	Diablo Wet Front		1556200
17"	120/70 R 17 M/C NHS TL	Diablo Wet Front		1602300

Rear	Size	Pirelli-Tread Pattern	Footnotes	IP Codes
16,5"	190/65 R 420 M/C NHS TL	Diablo Wet		1556400
17"	180/55 R 17 M/C NHS TL	Diablo Wet		1602400

The rain tyre

- World Superbike Championship's tyre
- Performance and control in bad weather
- Superb traction and stability at high speed
- Wet surface grip combined with optimised wear

120/75 R 420
120/70 R 17

BLOCKED
160/60 R 17

STRIPE
195/65 R 420 / 180/55 R 17



Front	Size	Pirelli-Tread Pattern	Footnotes	IP Codes
16,5"	120/75 R 420 M/C NHS TL	Diablo Rain Front SCR1		1555900
	120/75 R 420 M/C NHS TL	Diablo Rain Front SCR2		1556000
17"	120/70 R 17 M/C NHS TL	Diablo Rain Front SCR1		1600400
	120/70 R 17 M/C NHS TL	Diablo Rain Front SCR2		1600500

Rear	Size	Pirelli-Tread Pattern	Footnotes	IP Codes
16,5"	195/65 R 420 M/C NHS TL	Diablo Rain SCR1		1601000
	195/65 R 420 M/C NHS TL	Diablo Rain SCR2		1601100
17"	160/60 R 17 M/C NHS TL	Diablo Rain SCR1		1602600
	160/60 R 17 M/C NHS TL	Diablo Rain SCR2		1602500
	180/55 R 17 M/C NHS TL	Diablo Rain SCR1		1600800
	180/55 R 17 M/C NHS TL	Diablo Rain SCR2		1600900

New world-class reference in street legal racing tyres

- Shoulder areas designed to maximize contact patch area and length
- Balanced elastic behavior of carcass for stiffness in braking, precision and speed in cornering
- High performance polymers providing high mechanical stability and top class performance throughout the race
- Chemical components with high thermal stability enhancing grip
- More slick area on shoulders to give traction and stability avoiding any "jelly" effect


NEW

Front	Size	Pirelli-Tread Pattern	Footholes	IP Codes
17"	120/70 R 17 M/C 58V TL	Diablo Supercorsa Front SCØ	—	1627200
	120/70 ZR 17 M/C 58W TL	Diablo Supercorsa Front SC1	—	1627300
	120/70 ZR 17 M/C 58W TL	Diablo Supercorsa Front SC2	—	1627400
	120/70 ZR 17 M/C 58W TL	Diablo Supercorsa Front SC3	—	1636000
	120/70 ZR 17 M/C (58W) TL	Diablo Supercorsa Front SC4	—	1626300

Rear	Size	Pirelli-Tread Pattern	Footholes	IP Codes
17"	180/55 R 17 M/C 73V TL	Diablo Supercorsa SCØ	—	1627900
	180/55 ZR 17 M/C 73W TL	Diablo Supercorsa SC1	—	1628000
	180/55 ZR 17 M/C 73W TL	Diablo Supercorsa SC2	—	1628100
	180/55 ZR 17 M/C (73W) TL	Diablo Supercorsa SC3	—	1626700
	190/55 R 17 M/C 75V TL	Diablo Supercorsa SCØ	—	1628300
	190/55 ZR 17 M/C 75W TL	Diablo Supercorsa SC1	—	1628400
	190/55 ZR 17 M/C 75W TL	Diablo Supercorsa SC2	—	1628500
	190/55 ZR 17 M/C (75W) TL	Diablo Supercorsa SC3	—	1626800

DRAGON SUPERCORSA PRO

SPECIAL COMPOUND

Street legal racing tyre

- Front profile for precise tip-in and line holding
- "Stretched" Rear Pattern for a continuous stability in performance lap after lap
- Improved Compounds guarantee maximum performance in their specific range of operating temperature and severity of application



Front	Size	Pirelli-Tread Pattern	Footnotes	IP Codes
17"	110/70 ZR 17 M/C 54W TL	Dragon Supercorsa PRO Front SC1		1593300
	110/70 ZR 17 M/C 54W TL	Dragon Supercorsa PRO Front SC2		1593400
	120/70 ZR 17 M/C 58W TL	Dragon Supercorsa PRO Front SC1		1592200
	120/70 ZR 17 M/C 58W TL	Dragon Supercorsa PRO Front SC2		1592300

Rear	Size	Pirelli-Tread Pattern	Footnotes	IP Codes
17"	150/60 ZR 17 M/C 66W TL	Dragon Supercorsa PRO SC1		1593500
	150/60 ZR 17 M/C 66W TL	Dragon Supercorsa PRO SC2		1593600
	160/60 ZR 17 M/C 69W TL	Dragon Supercorsa PRO SC1		1593700
	160/60 ZR 17 M/C 69W TL	Dragon Supercorsa PRO SC2		1593800
	180/55 ZR 17 M/C 73W TL	Dragon Supercorsa PRO SC1		1592500
	180/55 ZR 17 M/C 73W TL	Dragon Supercorsa PRO SC2		1592600
	180/55 ZR 17 M/C 73W TL	Dragon Supercorsa PRO SC3		1605300
	190/55 ZR 17 M/C 75W TL	Dragon Supercorsa PRO SC1		1669700
	190/55 ZR 17 M/C 75W TL	Dragon Supercorsa PRO SC2		1669800
	190/55 ZR 17 M/C 75W TL	Dragon Supercorsa PRO SC3		1669900

DRAGON SUPERCORSA PRO

Extreme performances on track and road

- Racing Tyre, homologated for public roads use, derived from top race winning pirelli product
- High-speed and braking stability thanks to radial construction with patented 0° steel belt
- Outstanding handling and excellent response and control thanks to optimised contour profile



Front	Size	Pirelli-Tread Pattern	Footnotes	IP Codes
17"	110/70 ZR 17 M/C 54W TL	Dragon Supercorsa PRO Front		1596200
	120/60 ZR 17 M/C (55W) TL	Dragon Supercorsa PRO Front		1596300
	120/70 ZR 17 M/C (58W) TL	Dragon Supercorsa PRO Front		1605000

Rear	Size	Pirelli-Tread Pattern	Footnotes	IP Codes
17"	150/60 ZR 17 M/C 66W TL	Dragon Supercorsa PRO		1596400
	160/60 ZR 17 M/C (69W) TL	Dragon Supercorsa PRO		1596500
	180/55 ZR 17 M/C (73W) TL	Dragon Supercorsa PRO		1605100
	190/50 ZR 17 M/C (73W) TL	Dragon Supercorsa PRO		1596600
	190/55 ZR 17 M/C (75W) TL	Dragon Supercorsa PRO		1605200

DIABLO

CORSA III

Track performance for road emotion

- Confidence on normal roads and top performance on racetrack
- Profile design giving perfect handling and stability at high speed
- Three zone compound on rear: performance as soon as you need it



NEW

Front	Size	Pirelli-Tread Pattern	Footnotes	IP Codes
17"	120/65 ZR 17 M/C (56W) TL	Diablo Corsa III Front	↓	1683100
	120/70 ZR 17 M/C (58W) TL	Diablo Corsa III Front	↓	1683000

Rear	Size	Pirelli-Tread Pattern	Footnotes	IP Codes
17"	180/55 ZR 17 M/C (73W) TL	Diablo Corsa III	↓	1682700
	190/50 ZR 17 M/C (73W) TL	Diablo Corsa III	↓	1682800
	190/55 ZR 17 M/C (75W) TL	Diablo Corsa III	↓	1682900

Best original equipment for high performance bikes

- Road tyre with racetrack performance thanks to innovative technology
- Progressive response in setting trajectories for precise and linear behavior
- Neutral control feeling in wet and dry, with braking stability



NEW Sizes

Front	Size	Pirelli-Tread Pattern	Footnotes	IP Codes
17"	120/70 ZR 17 M/C (58W) TL	Diablo Corsa E Front *		1613500

Rear	Size	Pirelli-Tread Pattern	Footnotes	IP Codes
17"	190/50 ZR 17 M/C (73W) TL	Diablo Corsa H *		1543900
	190/50 ZR 17 M/C (73W) TL	Diablo Corsa L *		1712100

Special Version:

E* Honda: CBR 1000 RR, CBR 1000 RR Fireblade
Yamaha: YZF - R1 MY'07

H* Aprilia: RSV 1000 R Factory '04, RSV 1000 R Nera '04, RSV Mille, RSV Mille R, RSV Mille SP, RSV Mille, RSV Mille R, Tuono Fighter 1000

Benelli: Tornado Novecento Tre, Tornado Tre RS

Ducati: 7749, 749 S, 749 R, 916, 916 SP, 916 Senna, 916 SPS, Monster S4, Monster S4 R, 996 SPS, 996, 996 R, 998 R, 998, 998 S, 999, 999 S, 999 R, ST 4 S

Honda: CBR 900 RR Fireblade, FireBlade, Fireblade CBR 1000 RR '04, VTR 1000 SP-1, VTR 1000 SP-2

Kawasaki: ZX-7R,RR, ZX-7R RR, ZX-9R Mod.2002, ZX-9R Ninja 2000, Ninja ZX-10R

Mv Agusta:F4 1000 Strade, F4 Ago 1000, F4 1000 Tamburini 1+1, F4 1000 1+1, F4 1000 Tamburini

Suzuki: GSX-R 750 (carburator), GSX-R 750 '98 (inject.), GSX-R 1000, TL 1000 R, TL 1000 S

Triumph: Daytona955i(Single sided swingingarm), Daytona 955i Centennial, Daytona T595, Daytona 955i, Speed Triple, Speed Triple 595RP

Yamaha: YZF - R1, YZF - R1SP (Front only), YZF - R1

L* Yamaha: YZF - R1 MY'07



PUT
YOUR
DIABLO
HERE.

OUR CHAMPIONS WIN WITH YOUR TYRES.



DIABLO
CORSA III

DIABLO represents the best performance for everybody, it is the chance to feel riding emotion, to count exactly on the performance you desire. To appreciate the benefits of DIABLO CORSA III - three zones compound - there's no need to be a professional rider. You don't have to be at full lean to feel the full benefit.



POWER IS NOTHING WITHOUT CONTROL



POWER IS NOTHING WITHOUT CONTROL



DEALER

Pirelli Tyre Spa - Viale Sarca 222 - 20126 Milano - Telefax 02 6442.2052
P.I.V.A: 07211330159 - Registro delle Imprese di Milano nr. 143790

www.pirellityre.com